(PTO-1449)

ATTY. DOCKET NO. **066785-0017** 

SERIAL NO. **10/813,856** 

APPLICANT

Douglas A. Lappi et al.

FILING DATE

March 30, 2004

GROUP **1631** 

			τ	J.S. PATENT	DOCUMENTS				
EXAMINER'S INITIALS	CITE NO.		Document Number Number-Kind Code2 (if known)  Publication Date MM-DD-YYYY  Name of Patentee or Applicant of Cited Document		cant of Cited	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear			
-	1.	US	5,191,067	03-02-1993	Lappi et al.				-
	2.	US	5,679,637	10-21-1997	Lappi et al.				
				FOREIGN PAT	L ENT DOCUMENTS				
EXAMINER'S INITIALS	CITE NO.	Foreign Patent Document Country Codes -Number 4 -Kind Codes (if known)		Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines Where Relevant Figures Appear		Translation Yes No	
			OTHER A	I RT (Including Author	Title, Date, Pertinent Pages, E	tc.)			
EXAMINER'S INITIALS	CITE NO.		, serial, symposium, cat		e, title of the article (when appropers), volume-issue number(s), p				э,
	3.	interr	ABBADIE et al., "Inflammation increases the distribution of dorsal horn neurons that internalize the neurokinin-1 receptor in response to noxious and non-noxious stimulation," <u>J. Neurosci.</u> 17:8049-8060 (1997).  ANDERSON et al., "Dopamine D <sub>1</sub> receptor-stimulated release of acetylcholine in rat striatum is mediated indirectly by activation of striatal neurokinin <sub>1</sub> receptors," <u>J. Pharmacol. Exp. Therap.</u> 269:1144-1151 (1994).  ANTON et al., "Development of a biotinylated analog of substance P for use as a receptor probe," <u>Laboratory Investigation</u> 64:703-708 (1991).						
	4.	striat							
	5.	recep							
	6.	BOEHMER et al,. "High levels of mRNA coding for substance P, somatostatin and alpha-tubulin are expressed by rat and rabbit dorsal root ganglia neurons," <u>Peptides</u> 10:1179-1194 (1989).							
	7.		IC et al., "Neuroç 1722-1725 (1996		tion of immune comple	x inflamma	tion," <u>S</u>	<u>cience</u>	

EXAMINER	DATE CONSIDERED

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

ATTY. DOCKET NO. 066785-0017

SERIAL NO. **10/813.856** 

APPLICANT

Douglas A. Lappi et al.

(PTO-1449) FILING DATE March 30, 2004

GROUP 1631

8. BRELJE et al., "Three-dimensional imaging of intact isolated islets of Langerhans with confocal microscopy," Diabetes 38:808-814 (1989). 9. BRIMIJOIN et al., "Axonal transport of substance P in the vagus and sciatic nerves of the guinea pig," Brain Research 191:443-457 (1980). BROWN et al., "Morphological characterization of substance P receptor-10. immunoreactive neurons in the rat spinal cord and trigeminal nucleus caudalis," J. Comp. Neurol. 356:327-344 (1995). 11. BUECHLER et al., "Synthesis and characterization of a homogeneous chemical conjugate between basic fibroblast growth factor and saporin." Eur. J. Biochem. 234(3):706-713 (1995). CHAPMAN and DICKENSON, "The effect of intrathecal administration of RP67580, a 12. potent neurokinin 1 antagonist on nociceptive transmission in the rat spinal cord," Neurosci. Lett. 157:149-152 (1993). DE KONICK et al., "Substance P-mediated slow excitatory postsynaptic potential 13. elicited in dorsal horn neurons in vivo by noxious stimulation," Proc. Natl. Acad. Sci. USA 88:11344-11348 (1991). DEL FIACCO et al., "GAP-43 persists in adulthood and coexists with SP and CGRP in human trigeminal sensory neurons," NeuroReport 5:2349-2352 (1994). DING, et al., "Spinoparabrachial tract neurons showing substance P receptor-like 15. immunoreactivity in the lumbar spinal cord of the rat," Brain Research 674:336-340 (1995).DOUGHERTY et al., "Combined application of excitatory amino acids and substance P 16. produced long-lasting changes in responses of primate spinothalamic tract neurons." Brain Res. Rev. 18:227-246 (1993). DOUGHERTY et al., "Enhancement of spinothalamic neuron responses to chemical 17. and mechanical stimuli following combined micro-iontophoretic application of N-methyl-D-aspartic acid and substance P," Pain 47:85-93 (1991). DUGGAN et al., "Sustained isometric contraction of skeletal muscle results in release of 18. immunoreactive neurokinins in the spinal cord of the anaesthetized cat," Neurosci. Lett. 122:191-194 (1991). GILCHRIST et al., "Enhanced withdrawal responses to heat and mechanical stimuli 19. following intraplantar injection of capsaicin in rats," Pain 67:179-188 (1996). GRADY et al., "Delineation of the endocytotic pathway of substance P and its seven-20. transmembrane domain NK1 receptor," Mol. Biol. Cell 6:509-524 (1995). GUZMAN et al., "Effect of substance P on acetylcholine and dopamine release in the 21. rat striatum: a microdialysis study," Brain Research 622:147-154 (1993). HARGREAVES et al., "A new and sensitive method for measuring thermal nociception 22. in cutaneous hyperalgesia," Pain 32:77-88 (1988).

EXAMINER	DATE CONSIDERED

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ATTY. DOCKET NO. **066785-0017** 

SERIAL NO. **10/813,856** 

Dougla

Douglas A. Lappi et al.

(PTO-1449)

FILING DATE
March 30, 2004

APPLICANT

GROUP **1631** 

23.	HOKFELT et al., "Experimental immunohistochemical studies on the localization and distribution of substance P in cat primary sensory neurons," <u>Brain Research</u> 100:235-252 (1975).	
24.	HUMPEL, "Intranigral injection of selective neurokinin-1 and neurokinin-3 but not neurokinin-2 receptor agonists biphasically modulate striatal dopamine metabolism but not striatal preprotachykinin-A mRNA in the rat," Neurosci. Lett. 157:223-226 (1993).	
25.	JESSELL and IVERSEN, "Opiate analgesics inhibit substance P release from rat trigeminal nucleus," Nature 268:549-551 (1977).	
26.	KAR et al., "Altered calcitonin gene-related peptide, substance P and enkephalin immunoreactivities and receptor binding sites in the dorsal spinal cord of the polyarthritic rat," <u>Eur J. Neurosci.</u> 6:345-354 (1994).	
27.	KIM and CHUNG, "An experimental model for peripheral neuropathy produced by segmental spinal nerve ligation in the rat," Pain 50:355-363 (1992).	
28.	LAMBERT et al., "Purified immunotoxins that are reactive with human lymphoid cells,"  J. Biol. Chem. 260:12035-12041 (1985).	
29.	LAPPI et al., "Biological and chemical Characterization of basic FGF-saporin mitotoxin." <u>Biochem. Biophys. Res Commun.</u> 160(2):917-923 (1989).	
30.	LAPPI et al., "Characterization of a Saponaria officinalis seed ribosome-inactivating protein: immunoreactivity and sequence homologies." <u>Biochem. Biophys. Res.</u> <u>Commun.</u> 129(3):934-942 (1985).	
31.	LAPPI et al., "Characterization of a saporin mitotoxin specifically cytotoxic to cells bearing the granulocyte-macrophage colony-stimulating factor." Growth Factors 9(1):31-39 (1993).	
32.	LAPPI et al., "Reducing the heterogenecity of chemically conjugated targeted toxins: homogeneous basic FGF-saporin," <u>Analytical Biochemistry</u> , 212(2):446-451 (1993).	
33.	LITTLEWOOD, et al., "The types of neuron in spinal dorsal horn which possess neurokinin-1 receptors," Neuroscience 66:597-608 (1995).	
34.	LIU et al,. "Synaptic relationship between substance P and the substance P receptor: light and electron microscopic characterization of the mismatch between neuropeptides and their receptors," Proc. Natl. Acad. Sci. USA 91:1009-1013 (1994).	
35.	LUO and WISENFELD-HALLIM, "The effects of pretreatment with tachykinin antagonists and galanin on the development of spinal cord hyperexcitability following sciatic nerve section in the rat," Neuropeptides 28:161-166 (1995).	
36.	MA et al., "Involvement of neurokinin receptors in the induction but not the maintenance of mechanical allodynia in rat flexor motoneurones," <u>J. Physiol. (London)</u> 486:769-777 (1995).	
37.	MALMBERG et al., "Hyperalgesia mediated by spinal glutamate or substance P receptor blocked by spinal cyclooxygenase inhibition," <u>Science</u> 257:1276-1279 (1992).	

EXAMINER	DATE CONSIDERED

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ATTY. DOCKET NO. **066785-0017** 

SERIAL NO. **10/813,856** 

(PTO-1449)

APPLICANT

Douglas A. Lappi et al.

FILING DATE

March 30, 2004

GROUP **1631** 

38.	MANTYH et al., "Beta 2-adrenergic receptors are expressed by glia in vivo in the normal and injured central nervous system in the rat, rabbit, and human," <u>J. Neurosci.</u> 15:152-164 (1995).	
39.	MANTYH et al., "Some sensory neurons express neuropeptide Y receptors: potential paracrine inhibition of primary afferent nociceptors following peripheral nerve injury," <u>J. Neurosci.</u> 14:3958-3968 (1994).	
40.	MANTYH, et al., "Receptor endocytosis and dendrite reshaping in spinal neurons after somatosensory stimulation," Science 268-1629-1632 (1995).	
41.	MARSHALL et al., "Neurokinin-1 receptors on lumbar spinothalamic neurons in the rat," Neuroscience 72:255-263 (1996).	
42.	MCCARSON and KRAUSE, "The formalin-induced expression of tachkinin peptide and neurokinin receptor message RNAs in rat sensory ganglia and spinal cord is mediated by opiate preadministration," Neuroscience 64:729-739 (1995).	
43.	MUNRO et al., "The effects of neurokinin receptor antagonists on mustard oil-evoked activation of rat dorsal horn neurons," Neuropeptides 25:299-305 (1993).	
44.	NAGY et al., "NK1 and NK2 receptors contribute to C-fibre evoked slow potentials in the spinal cord," NeuroReport 5:2105-2108 (1994).	
45.	NAGY et al., "The role of neurokinin and N-methyl-D-aspartate receptors in synaptic transmission from capsaicin-sensitive primary afferents in the rat spinal cord in vitro," Neuroscience 52:1029-1037 (1993).	
46.	NAKAYA et al., "Immunohistochemical localization of substance P receptor in the central nervous system of the adult rat," <u>J. Comp. Neurol.</u> 347:249-274 (1994).	
47.	NEUGEBAUER et al., "Involvement of substance P receptors in the hyperexcitability of dorsal horn neurons during the development of acute arthritis in rat's knee joint," <u>J. Neurophysiol.</u> 73:1574-1583 (1995).	
48.	NEUGEBAUER et al., "The involvement of substance P and neurokinin-1 receptors in the responses of rat dorsal horn neurons to noxious but not to innocuous mechanical stimuli applied to the knee joint," <u>Brain Res.</u> 666:207-215 (1994).	
49.	NICHOLS, et al., "Transmission of chronic nociception by spinal neurons expressing the substance P receptor," <u>Science</u> 286:1558-1561 (1999).	
50.	PICARD et al., "Cardiovascular and behavioural effects of centrally administered tachykinins in the rat: characterization of receptors with selective antagonists," <u>Br. J. Pharmacol.</u> 112(1):240-249 (1994)	
51.	QUARTU et al., "Calcitonin gene-related peptide in the human trigeminal sensory system at developmental and adult life stages: immunohistochemistry, neuronal morphometry and coexistence with substance P," <u>J. Chem. Neuroanat.</u> 5:143-157 (1992).	

EXAMINER	DATE CONSIDERED

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

(PTO-1449)

ATTY. DOCKET NO. **066785-0017** 

SERIAL NO. **10/813,856** 

APPLICANT

Douglas A. Lappi et al.

FILING DATE

March 30, 2004

GROUP **1631** 

52.	SALTER et al., "Responses of functionally identified neurons in the dorsal horn of the cat spinal cord to substance P, neurokinin A and physalaemin," Neuroscience 43:601-610 (1991).	
53.	SANN et al., "Reduction of substance P bindling sites in the spinal dorsal horn after perineural capsaicin treatment in the rat," Neurosci Lett. 190:151-154 (1995).	
54.	SCHAIBLE et al., "Release of immunoreactive substance P in the spinal cord during development of acute arthritis in the knee joint of the cat: a study with antibody microprobes," Brain Research 529:214-223 (1990).	
55.	SIMONE et al., "Neural mechanisms of hyperalgesia," <u>Curr. Opin. Neurobiol.</u> 2:479-483 (1992).	
56.	SIMONE et al., "Neurogenic hyperalgesia: central neural correlates in responses of spinothalmic tract neurons," <u>J. Neurophysiol.</u> 66:228-246 (1991).	
57.	SMITH et al., "Non-specific effects of the tachykinin NK1 receptor antagonist, CP-99, 994, in antinociceptive tests in rat, mouse and gerbil," <u>Eur. J. Pharmacol.</u> 271:481-487 (1994).	
58.	STIRPE et al., "Ribosome-inactivating proteins from plants: present status and future prospects," Bio/Technology 10:405-412 (1992).	
59.	STIRPE et al., "Ribosome-inactivating proteins from the seeds of Saponario officinalis L. (soapwort) of <i>Agrostemma githago</i> L. (corn cockle) and of <i>Asparagus officinalis</i> (asparagus) and from the latex of <i>Hura crepitans</i> L. (sandbox tree)." <u>Biochem J.</u> 216:617-625 (1983).	
60.	TADANO et al., "Immunohistochemical determination of rat spinal cord substance P, and antinociceptive effect during development of thiamine deficiency," <u>Brain Res.</u> 696:21-29 (1995).	
61.	TRAUB et al., "The spinal contribution of substance P to the generation and maintenance of inflammatory hyperalgesia in the rat," Pain 67:151-161 (1996).	
62.	VIGNA et al., "Characterization of antibodies to the rat substance P (NK-1) receptor and to a chimeric substance P receptor expressed in mammalian cells," <u>J. Neurosci.</u> 14:834-845 (1994).	
63.	YAMAMOTO et al., "Effects of FK224, a novel cyclopeptide NK1 and NK2 antagonist, and CP-96, 345, a nonpeptide NK1 antagonist, on development and maintenance of thermal hyperesthesia evoked by carrageenan injection in the rat paw," Anesthesiology 79:1042-1050 (1993).	
64.	YASHPAL et al., "Noxious peripheral stimulation produced antinociception mediated via substance P and opiod mechanisms in the rat tail-flick test," <u>Brain Res.</u> 674:97-103 (1995).	
65.	YASHPAL et al., "Noxious stimulation decreases substance P binding in rat spinal dorsal horn: competition by endogenous ligand?" NeuroReport 5:2101-2104 (1995).	

SDO 113105-1.066785.0017

EXAMINER DATE CONSIDERED
/Michael Borin/ 06/19/2009

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.